

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Chemical type : Mixture
Trade name : GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1234
Colour Index/ Chemical name : Mixture
Chemical characterization : Dyestuff in organic solution

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Dyestuff for industrial applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

PRIMALEC (R J Doran & Co Ltd) Green Farm, Nettlestead Green
MAIDSTONE - ME18 5HD, England
T +44 (0)1622 816955 customers@primalec.co.uk

1.4. Emergency telephone number

Emergency number +44 (0)1622 816955

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302
Most important adverse effects: Harmful if swallowed.

2.2. Label elements

Label elements according to Regulation (EC) No 1272/2008 as amended
Hazard statements: H302: harmful if swallowed
Hazard pictograms: GHS07: Exclamation mark



Signal Words: Warning
Hazard Statement(s): H317: May cause an allergic skin reaction

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance

SECTION 3: Composition/information on ingredients

Description : Dyestuff in organic solution
Colour Index/ Chemical name : Mixture

3.2 Mixtures

Chemical name	Concentration	EC No.
POLY[OXY(METHYL-1,2-ETHANEDIYL)],.ALPHA.-METHYL-.OMEGA.-[(TETRAHYDRO-2-FURANYL)METHOXY]	40-60%	353291-27-7

SECTION 4: First aid measures

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

4.1 Description of First Aid Measures

First-aid measures general:	First Aid, decontamination, treatment of symptoms. In all cases of doubt, or when symptoms persist, seek medical advice.
First-aid measures after inhalation:	When symptoms occur: go into open air and ventilate suspected area. If unconscious, place in the recovery position and seek medical advice.
First-aid measures after skin contact:	Rinse and then wash skin with water and soap. Remove contaminated clothes. Do not remove clothing if it sticks to the skin.
First-aid measures after eye contact:	Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion:	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation:	No symptoms known up to now.
Symptoms/injuries after skin contact:	Staining of the skin. There may be mild irritation at the site of contact.
Symptoms/injuries after eye contact:	Staining of the eyes. There may be irritation.
Symptoms/injuries after ingestion :	Harmful if swallowed. IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate effects can be expected after short-term exposure

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray. Extinguishing powder. Carbon dioxide (CO₂). alcohol resistant foam Dry chemical powder. Use water spray to cool containers

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes..

5.3. Advice for firefighters

Firefighting instructions: Standard procedure for chemical fires. Cool tanks/drums with water spray/remove them into safety.

Protection during firefighting: Use appropriate respiratory protection.

Other information: Contaminated fire-fighting water must be collected separately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures: Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke.

6.1.1. For non-emergency personnel

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

Protective equipment: Wear personal protection equipment. Refer to chapter 8.
Emergency procedures: Ensure adequate ventilation. Wear suitable respiratory equipment in case of insufficient ventilation. Keep unprotected persons from entering.

6.1.2. For emergency responders

Protective equipment: Wear personal protection equipment. Refer to chapter 8.
Emergency procedures: Ensure adequate ventilation. Wear suitable respiratory equipment in case of insufficient ventilation. Keep unprotected persons from entering.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Wash away remainder with plenty of water.

6.4. Reference to other sections

See also section 8 & 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling: Reduce/avoid exposure and/or contact. Keep away from sources of ignition
No smoking.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep away from heat. Protect from freezing. Keep out of the reach of children.

Prohibitions on mixed storage: Keep away from food, drink and animal feeding stuffs.

Storage area: Ensure adequate ventilation of the storage area. Keep container tightly closed. Store in a cool dry place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls: Ventilate area. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment: Gloves. Protective clothing. Safety glasses.



Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

Hand protection:	Wear suitable gloves resistant to chemical penetration (to European standard EN 374 or equivalent), e.g. PVC or nitrile rubber. Since the product consists of several substances, it is not possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use
Eye protection:	Tightly sealed safety glasses.
Skin and body protection	Wear suitable protective clothing
Respiratory protection:	With correct and proper use, and under normal conditions, breathing protection is not required.
Environmental exposure controls:	Avoid release to the environment.
Other information:	Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: liquid.
Colour	: bright yellow.
Odour	: Perceptible odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >230 °C ASTM 6450
Self ignition temperature	: Product is not self-igniting.
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: >1 (air=1)
Relative density	: 0.98 - 0.99 (20 °C)
Solubility	: Water: insoluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 68 mm ² /s
Viscosity, dynamic	: 68 mm ² /s (typical)
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

On burning: release of harmful/irritant gases/vapours.

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

High temperatures. Sources of ignition. Flames. Heat.

10.5. Incompatible materials

Oxidizing and reducing agents may destroy the dye.

10.6. Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1744

LD50 Oral Rat	> 2000 mg/kg
---------------	--------------

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general: Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Ecology – water: Insoluble in water

12.2 Persistence and degradability

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1744

Persistence and degradability	No data available
-------------------------------	-------------------

12.3 Bioaccumulative potential No additional information available

12.4 Mobility in soil

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1744

Ecology - soil	Readily absorbed into soil.
----------------	-----------------------------

12.5 Results of PBT assessment

GLO-LEAK UV-FLUORESCENT LEAK TEST FLUID TYPE GL1744

Results of PBT assessment	No data available
---------------------------	-------------------

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

12.6. Other adverse effects

Other information: Negligible ecotoxicity.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Observe regulations when disposing.

Sewage disposal recommendations: Substance must not be discharged into the sewer.

Waste disposal recommendations : Consider recycling. Remove to an authorized waste incinerator.

SECTION 14: Transport information

In accordance with ADR / RID / ADN / IMDG / ICAO / IATA 14.1. UN number

No dangerous good in sense of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Other information No supplementary information available.

14.6. Special precautions for user

14.6.1. Overland transport No additional information available

14.6.2. Transport by Sea No additional information available

14.6.3. Air transport No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EC Symbols: GHS07: Exclamation mark

EC Risk Phrases: See Section 16 for full list of relevant risk phrases

EC Safety Phrases: See Section 16 for full list of relevant safety phrases

EU Directives: Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC

Statutory Instruments: Chemicals (Hazard Information and Packaging) regulations.

Approved code of practice: Classification and labelling of Substances and Preparations dangerous for supply. Safety data sheets for substances and preparations.

Guidance notes: Workplace Exposure limits EH40. CHIP for everyone HSG(108)

15.1.2. National regulations

Water hazard class (WGK) : 1 - slightly hazardous to water

WGK remark : Estimated from the components.

15.2. Chemical safety assessment

Glo-Leak UV Leak Test Fluid Product: GL1744

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23-03-2017

Revision date: 06 November 2019

Version: 3.1

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

This safety data sheet is prepared in accordance with EU Commission Regulation (EU) No 2015/830.

Relevant Phrases used in Sections 2 & 3

H302: Harmful if swallowed

Wording of the H-statements in section 2 and 3:

Data sources : This information is based on the present data (producers, chemical safety cards, <http://echa.europa.eu/>, <http://ecb.jrc.ec.europa.eu/esis/>, ...).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.